

Wadia

**CONFIDENTIAL DEALER PRICE LIST
DISTRIBUTOR
EFFECTIVE FEB. 2015**




PS AUDIO SCANDINAVIA
DK-7400 HERNING

TEL. 9712 1252

EMAIL: PS@PSAUDIO.DK

Wadia
2 Chambers Street • Binghamton, NY 13903-2699
PHONE: 607-723-3539 • 1-855-326-9816 • Sales Fax: 607-772-3308
www.wadia.com

MODEL	NOTES	DKK
<p>Intuition 01 PowerDAC Digital Integrated Amplifier</p> 	<ul style="list-style-type: none"> • 32-bit/1.536 MHz up-sampling using Wadia's proprietary DigiMaster algorithm and filtering technology • Wadia's DirectConnect with 32-bit Digital Volume Control technology • High resolution USB input: will accept up to 384 kHz/32-bit data rates and Native DSD playback via USB • 7 Digital Inputs: 1 USB B, 1 TOSLINK Optical, 2 WadiaLink (I2S), 1 AES/EBU, 2 Coaxial S/PDIF (RCA) 2 Analog Inputs (RCA) • 190 Watt/channel 8 Ohm, 350 Watt/channel 4 Ohm • High Performance Banana Style Binding Posts • Aluminum IR remote control and Heavy Duty Power Cord <p>Dimensions (HWD): 2.375 x 15 x 15 in., 6 x 38 x 38 cm Weight: 12.3 lbs, 5.6kg Finish: Matte Silver Anodized Aluminum and Matte Black Anodized Aluminum</p>	DKK 56900
<p>di122 digital audio decoder</p> 	<ul style="list-style-type: none"> • Series 1 mini industrial design • 4 SPDIF inputs that accept signals up to 24-bit/192kHz • 1 USB input accepts up to 32-bit signals w/ support for DSD64, DSD128, DXD 352.8kHz and DXD 384kHz • Includes both balanced and unbalanced outputs <p>Dimensions (HWD): 3.15625 x 10 x 14 in. (including cables), 8 x 25.4 x 35.6 cm (including cables) Finish: Cast Aluminum Construction with Screened Black Top Glass Panel</p>	DKK 16.500,00
<p>a102 power amplifier</p> 	<ul style="list-style-type: none"> • Series 1 mini industrial design • Perfect complement in size & functionality to di122 Digital Audio Decoder • 50 watts x 2 channels into 8 Ohms • 80 watts x 2 channels into 4 Ohms • Includes both balanced and unbalanced inputs <p>Dimensions (HWD): 3.15625 x 10 x 14 in. (including cables), 8 x 25.4 x 35.6 cm (including cables) Weight: 8.5 lbs, 3.9 kg Finish: Cast Aluminum Construction with Screened Black Top Glass Panel</p>	DKK 16.500,00
<p>a315 power amplifier</p> 	<ul style="list-style-type: none"> • Series 3 industrial design • 150 watts x 2 channels into 8 Ohms • 250 watts x 2 channels into 4 Ohms • Includes both balanced and unbalanced inputs <p>Dimensions (HWD): 3.375 x 17.875 x 20 in., 8.6 x 45.4 x 50.8 cm Weight: 27 lbs, 12.2 kg Finish: Cast Aluminum Construction with Screened Black Top Glass Panel</p>	DKK 35.000,00
<p>a340 power amplifier</p> 	<ul style="list-style-type: none"> • Series 3 industrial design • 400 watts x 1 channel into 8 Ohms • 500 watts x 1 channel into 4 Ohms • Includes both balanced and unbalanced inputs • Includes balanced and unbalanced outputs for ease of connecting bi-amp configurations <p>Dimensions (HWD): 3.375 x 17.875 x 20 in., 8.6 x 45.4 x 50.8 cm Weight: 26.5 lbs, 12 kg Finish: Cast Aluminum Construction with Screened Black Top Glass Panel</p>	DKK 40.000,-
<p>di322 digital audio decoder</p> 	<p>NEW</p> <ul style="list-style-type: none"> • Series 3 industrial design • 4 SPDIF inputs that accept signals up to 24-bit/192kHz • 1 USB input accepts up to 32-bit signals w/ support for DSD64, DSD128, DSD256, DXD 352.8kHz and DXD 384kHz • Includes both balanced and unbalanced outputs <p>Dimensions (HWD): 3.375 x 17.875 x 20 in. (including cables), 8.6 x 45.4 x 50.8 cm (including cables) Finish: Cast Aluminum Construction with Screened Black Top Glass Panel</p>	DKK 35.000,-

MODEL	NOTES	DKK
<p>m330 media server</p> 	<ul style="list-style-type: none"> • Series 3 industrial design • Streams from top music services such as Pandora, Sirius/XM, Spotify, Rhapsody and TuneIn • 1TB internal hard drive for content storage • 4 USB and 1 eStata input to connect additional storage • Includes balanced and unbalanced analog outputs • Includes coaxial and optical outputs • Controlled via web browser, remote control or an Apple iOS or Android app <p>Dimensions (HWD): 3.375 x 17.875 x 19.125 in., 8.6 x 45.4 x 48.6 cm Finish: Cast Aluminum Construction with Screened Black Top Glass Panel</p>	<p>DKK 60.000,-</p>
<p>321 Decoding Computer</p>  	<ul style="list-style-type: none"> • Digital Input Sample Rates: Coaxial & Optical: Up to 192KHz, 24-Bit; USB: Up to 192KHz, 32-Bit • 5 Digital Inputs: 2 Coaxial, 2 Optical, 1 USB • 1 Set each Variable Balanced and Unbalanced Outputs • Frequency Response +/-0.5dB from 4Hz to 20kHz; +0.5/-3dB from 4Hz to 68kHz (source dependent) • Total Harmonic Distortion: 0.002% • Dynamic Range: 100dB • Signal To Noise Ratio (A-Weighted): 110dB • Full featured IR remote control <p>Dimensions (HWD): 3.375 x 17.875 x 20 in., 8.6 x 45.4 x 50.8 cm Weight: 25 lbs, 11.4 kg Finish: Cast Aluminum Construction with Screened Black Top Glass Panel</p>	<p>DKK 30.000,-</p>

